
LUDLOW



NEW ...

The new Ludlow "Convertible 20" matrix cabinet contains 20 cases into which fit interchangeable polyethylene insert trays to accommodate %" and 1¼" Ludlow matrices. Trays fit any case. 1½" matrices fit into special wooden trays. Available with either right or left hand case drawers that roll out easily on all-nylon rollers. (See illustrations). This new all-steel cabinet offers a recessed space and quad tray on the convenient slanted top and the positive-control sliding copy holder. Multi-position light and stick rack are optional.

The 20 case "Universal" all-steel matrix cabinet (shown below) provides a greater capacity and better arrangement of the larger matrices for continuous production. Space trays and division quad trays, stick rack, adjustable copy holder and overhead lamp are optional.





The grow alignment of this area

sa

ex Lu

Lo sp for sp

the

The eff

the

W cc qu to

Why Ludlow is so widely used

Today's Ludlow is designed to do the large volume of display, job and miscellaneous type composition which is best set by hand. Its simple design enables any capable compositor to learn its operation quickly and to produce satisfactory work for every requirement.

Each Ludlow line of type is cast as one slug from individual matrices locked into a composing stick. The stick is placed in the machine . . . a touch of a lever starts the casting operation which is an automatic function. Seconds later, the stick is released and the slug is delivered in the slug tray.

Each font of Ludlow matrices provides an inexhaustible supply of new type-always ready for the setting of one or many lines-all without additional type purchases or casting and storage of single type.

Ludlow type sizes ranging from 4 to 96 point meet almost every composing room need. Special engraved matrices are available for alphabets and price figures up to 144 point sizes and larger. Over 1900 different fonts in the Ludlow library offer popular standard type styles as well as distinctive Ludlow typefaces designed to fit in with today's modern trends.

Sloping matrices, originated by Ludlow, make it possible to produce italic, script and cursive typefaces on slugs without the risk of broken characters during the press run. And Ludlow composition retains all the niceties of special hand spacing that makes for fine typography.

Ludlow all-slug composition is easier to handle and lock up—and affords a solid form that is free from work-ups or pull-outs. Ludlow offers a unique method for the economical production of quality ruleform composition which is not possible with any other system. Always-new sluglines reduce press makeready and running time . . . with a larger percentage of chargeable time to every typesetting job.


LUDLOW

All t sam exce Ludi

The grou align this are

rs that ailable e. 11/2" te %" abinet ty and abinet tional cessed geable er and ivision es for ustranolder. lanted

> the line is cast in single sections. are then inserted near the stick marks indicating slug lengths and spaced without regard to length of the full line. Division quads for uniform spacing throughout. The line of matrices is first set and special long sticks and with only a single justification, which makes Long lines up to 1121/2 picas are set on the Ludlow as a unit in





quickly set to any desired measure. The operator then has only composition are Ludlow-set with surprising speed. It is With this self-centering stick, centered lines of job and display to cast, automatically justified and quadded-out on both sides turn the knob locking the latter in place. The line is then ready to assemble the matrices, push in the quadding slide and


reversed in the stick. This stick may also be used to set centered lines



are held within close limits of precision. system. Matrices for 60, 72, 84 and 96 point are made in a larger size. The recess in the matrix face determines the slughead's point size. All Ludlow matrices (except as to width) permit easier handling and the greater speed of the "gathering" Whether 6 or 48 point, the convenient shape and uniform size of Ludlow matrices



Italic matrices for the Ludlow are made on a slant, enabling the casting of kerns. All parts of Ludlow italic sluglines are as sturdy as any roman letter, because the characters of a line form a complete web which will not break off on the press or in planing down a form.



All type sizes up to and including 48 point may be set and cast in the same stick, using the same set of spaces. All Ludlow matrices are "center-line," except lining typefaces. Other desired alignments may be obtained with the Ludlow offset stick.

for



The adjustable offset matrix stick offers a range of 6 points for bringing two groups of matrices into any desired alignment. When adjusted for a given alignment, lines of similar style are set easily and rapidly. For example, with this stick cap-and-small-cap arrangements are handled efficiently and there are other like savings.



Long lines up to 112½ picas are set on the Ludlow as a unit in special long sticks and with only a single justification, which makes for uniform spacing throughout. The line of matrices is first set and spaced without regard to length of the full line. Division quads are then inserted near the stick marks indicating slug lengths and the line is cast in single sections.

dlo

6 0

7 2 # Point


Multiple & Slug

Roman


M

atrix

Casting & S



The self-quadding stick is a most important Ludlow contribution to efficient operation and composing room economy. With this stick, lines set flush left require no justification. The operator simply gathers the matrices, inserts them in the stick, pushes in the slide and turns the thumb screw. For lines set flush right, the line of matrices may be reversed in the stick. This stick may also be used to set centered lines.



The double water cooled mold is designed for operation with the slotted mouthpiece and with the metal at a higher temperature than heretofore. The temperature of the water circulating around both sides of the casting slot is maintained by a refrigerated cooling unit.



The new Ludlow slotted mouthpiece was developed as a result of extensive research to improve the printing surface of the type slug. Metal enters the mold from the mouthpiece slot under plunger pressure. Three round holes in the mouthpiece slot direct an even flow of metal throughout the length of the mold.



The Ludlow loose side roman matrix stick is durably designed, well balanced and accurately machined. Typeface matrices are "gathered" in words or syllables and assembled in this stick. Note the longer ears of the spaces, which make them easier to handle.


up to

room

es or

nto a

very



Italic matrices for the Ludlow are made on a slant, enabling the casting of kerns. All parts of Ludlow italic sluglines are as sturdy as any roman letter, because the characters of a line form a complete web which will not break off on the press or in planing down a form.



All type sizes up to and including 48 point may be set and cast in the same stick, using the same set of spaces. All Ludlow matrices are "center-line," except lining typefaces. Other desired alignments may be obtained with the Ludlow offset stick.

sible

for



The adjustable offset matrix stick offers a range of 6 points for bringing two groups of matrices into any desired alignment. When adjusted for a given



















Word and letter spacing is quick and easy for the Ludlow operator. He works with uniform spacing units that have "ears" extending beyond those of the letter characters. No hard-to-get-at spaces below the line level.



No delays "spacing tight to lift" as a turn of the composing stick thumbscrew will hold each line firmly for the Ludlow casting operation. With the use of self-quadding or self-centering matrix sticks, lines can be cast flush left or right . . . as well as centered lines set to any desired measure.



Ludlow all-slug make-up is simple and easy. No type to pi, no extra care for certain lines, no characters to drop off or get transposed. Ludlow forms are faster to make up, the corrections easier and more quickly made ... and once the form is correct. it stays that way.

Sho

24 Point

Pla 24 Point

Spac 24 Point

24 Point

30 Point

Visit

24 Point

Mar

24 Point

Luc 24 Point

Bac

24 Point




















4 easy steps to composition



The Ludlow operator never has to place one letter at a time in the composing stick, positioning it as to nick and face. Instead he "gathers" a group of flat matrices quickly from the case, and then easily assembles these in the Ludlow stick.



Word and letter spacing is quick and easy for the Ludlow operator. He works with uniform spacing units that have "ears" extending beyond those of the letter characters. No hard-to-get-at spaces below the line level.



M

Co

Ty

Rut 24 Poi

In Pol

She

Pla

Spa

P

24 Poi

 \mathcal{L}_{l}

30 Po

Vic

Shops Using Ludlow Faces For Better Jobs

24 Point Ludlow Tempo Alternate Bold.

Plants Are Seeking More Equipment

24 Point Ludlow Tempo Alternate Heavy.

Spacing Is Simple and Accurate with This System

24 Point Ludlow Tempo Heavy Condensed.

Printers need big type

24 Point Ludlow Tempo Black Extended.

Ludlow is Winning Much Praise

30 Point Ludlow Wave.

Visiting International Exhibition of Fine Printing

Manley High School Offers Printing Course
24 Point Ludlow Garamond Bold.

Ludlow Equipped Plants Surge Ahead

Backed by the Graphic Arts Industry

24 Point Ludlow Times New Roman Bold

MODERN AND ALSO LEGIBLE

cing e of aces

the line the

No harrms and

ect.

Modern and Traditional Faces...

Compositors Like Setting with Matrices

Typefaces Designed for All Advertising 24 Point Ludlow Record Gothic Bold Italic.

Rubber Stamp Industry Endorses Ludlow System
24 Point Ludlow Record Gothic Condensed.

Interesting Effects Obtained with This Series
30 Point Ludlow Coronet Bold.

Shops Using Ludlow Faces For Better Jobs 24 Point Ludlow Tempo Alternate Bold.

Plants Are Seeking More Equipment

Spacing Is Simple and Accurate with This System

Printers to Honor Memory of Ben Franklin

24 Point Ludlow Bodoni Trueface Italic.

Reproductions of New Designs

24 Point Ludlow Bodoni Black.

Advertisers Are Quick to Recognize its Value

24 Point Ludlow Bodoni Black Condensed

Condensed Design for Displays and Newspaper Headlines

24 Point Ludlow Bodoni Campanile.

Modern Methods Increase Composing Room Production

24 Point Ludlow Bodoni Campanile Italic.

New Script is Fine for the Occasional Line

30 Point Ludlow Parkway Script.

Men Seeking Money for Our Hospital


24 Point Ludlow Record Gothic Medium-Extended.

Ludlow System Endorsed by Many

24 Point Ludlow Record Gothic Bold Medium-Extended.

Improve Service to Advertisers

24 Point Ludlow Record Gothic Heavy Medium-Extended.




LUDLOW TYPOGRAPH COMPANY, 2032 Clybourn Ave., Chicago 60614

MODEL




A more perfectly formed type slug results from the increased pressure and thermostatically controlled heat in the Ludlow Model "M" mouthpiece and throat which bring about more perfect filling of the serifs and fine line rules.




A 50% faster casting speed is another outstanding feature of the Model "M"...of particular importance in repeat casting...and when more than one man is operating the Ludlow. A redesigned electrical system with circuit breakers affords even greater trouble-free operation.




A more solid type slug as well as a printing surface of improved quality is assured by a higher metal level in the deeper crucible which shortens the distance the molten metal has to travel before reaching the matrices in the matrix stick.



Greater safety is provided by the new all-enclosed driving mechanism which also is equipped with "V" belt drive for the first time. There's a new motor position . . . 12 inches off the floor . . . and a hinged side panel permits easy access for maintenance.



A more efficient casting operation is brought about with the new Model "M" flat table top with provision for a more positive lock-down of the composing stick. All composing sticks and typeface matrices made by Ludlow can be used on the new Model "M".



New refrigerated cooling system with a compressor type refrigeration unit maintains the water temperature at a uniform 70 degrees to assure faster, more uniform solidification of metal in the mold...resulting in a better, more solid type slug with sharper, more perfectly formed individual characters.

The new Model "M" is available in both gas and electric heated models . . . occupying approximately the same floor space as before at practically no increase in weight



R. Hunter Middleton Director of Typeface Design Ludlow Typograph Company

Ludlow Typefaces

"A valuable asset to the Ludlow user is the continuous, progressive program of new typefaces made available in Ludlow matrices. Many of these are distinctively modern in design; others are indispensable traditional faces in universal use.

Below is a visual analysis of the basic Ludlow typeface library, which has been developed broadly to cover all the useful typeface styles needed today and in depth to provide a complete range of point sizes in each style."

Planning is the Key to Larger Sales 24 Point Ludlow Century Modern.

This Plant Has the Newest Typefaces 24 Point Ludlow Century Modern Italic.

Big Profits with the New Ludlow

Our Formal Script Useful for Bank Printing
30 Point Ludlow Formal Script.

Hundreds Hurt in Big Transportation Wreck 24 Point Ludlow Bodoni Trueface.


Printers to Honor Memory of Ben Franklin 24 Point Ludlow Bodoni Trueface Italic.


Reproductions of New Designs

24 Point Ludlow Bodoni Black.

LUDEN Model M

a new step forward in hand-set slug-cast composition





The New Standard of Quality

The Model "M" Ludlow machine was designed to establish a new standard of quality for the system of hand-set, slug-cast display composition originated in 1914 by the Ludlow Typograph Company.

Over the years-printers, typographers, newspapers and publications have installed the Ludlow system to lower production time and costs... while retaining the precision and flexibility of hand-set composition.

These new mechanical improvements contribute to the production of a more solid slug with an improved printing surface... and linked with the higher quality slug is a 50% increase in casting speed, an important advantage when repeat casting multiple forms.

Ludlow's constantly expanding typeface library and the improved features of the Model "M" Ludlow provide you with the most economical means of producing quality job and display composition using the best of traditional and modern typeface designs.

Why Ludlow is so widely used

has badden den af byen de een en en dag hem miljeden bistoom voord dag s magendag hijkt. Tre enter a plansk in die makene , a haapt et a beze gege se maken gemeinen metale is en beschief beschie besonde bew. Die enter s

The product particular departs on the state of the principal particular products on the product of the principal particular products on the product particular partic

REEX

Regard contracts, suggested by Ludonic reador of placeties to produce trade, string and (paper hypothesis or delays eleberat four take of females elementaries desired that press, now, had further instrumentaries reprint and the elementaries are equal to and market for five properties.

we frequently class to the professor or determined office to the company of the c





leany times part of the LEAN prices are not not find to these are not all appeal for set that the set of the s



This profit water considerable appeal for constitute with the strates eventually not work the mode at a figure transparable that the controller. This begins because of the water providing is bound for the and the costop and a marketic broken part of pringershort recording out.



00000

The erail coffine softed institutionary was developed as a result of interests assumed to interest the coloniary section of the type of the fact the root type the involvables and pushes placeful demands. These section folion in the incomfaction and check as well from an institution applied the section of the root factors.



ents of the species with their species of the speci



Palic materiors for the Luddew and Made for a strate emploted the country at where, all peris at Luddew about imaginess and us of suddy as they rate as that, they appear the compress of a find with a completo with which with sud not become on the green or in placeful classy a boson.






All feets shares and to seed inclining with posted teap do wat contribute or the name which wants they propose part of standard, will studies of our look care training and student direct translations of these descriptions of teap to outside which the Luthour will be seen.





The extination of their marks and color in a color of a search in interrupt two groups of entirety in the processor of search in the processor of search of the color of search of the search of the dispersion. Over a character of the search of the dispersion of the search of the sea



With this will remained attrict operhands been of job and stripfer components as a Landau-scale and the supplient present in to qualifie see it has up declared encourage. We appealed the every proxy to the case-while the residence, quark in the parameter from the parameter of the case-while the residence, quark in the parameter and the set of the case-while the residence, quark in the parameter state and the case of the case-while the residence of the parameter case; the cases a parameter case of the cases and the case of the ca





4 easy steps to composition









Modern and Traditional Faces...

Compositors Like Setting with Matrices

Typefaces Designed for All Advertising

Rubber Stamp Industry Endorses Ludlow System

Interesting Offices Obtained with This Santo

Shops Using Ludlow Faces For Better Jobs

Plants Are Seeking More Equipment

Spacing Is Simple and Accurate with This System

Printers need big type

Ludlow is Winning Much Praise

Visiting International Exhibition of Fine Printing

Manley High School Offers Printing Course

Ludlow Equipped Plants Surge Ahead

Backed by the Graphic Arts Industry

MODERN AND ALSO LEGIBLE



Ludlow Typefaces

Repair of experiments of the control of the experiment of the control of the cont

Because of a strong broduct on the beaut college to present a decision of the present and present and

Planning is the Key to Larger Sales

This Plant Has the Newest Typefaces

On Front Scopt Hoofs! for Buck Booking

Big Profits with the New Ludlow

Hundreds Hurt in Big Transportation Wreek

Printers to Honor Memory of Ben Franklin

Reproductions of New Designs

Advertisers Are Quick to Recognize its Value

Condensed Design for Displays and Newspaper Headlines


Motors Methods Increase Comparing Boom Production

New Script is Fine for the Occasional Line

Men Seeking Money for Our Hospital


Ludlow System Endorsed by Many

Improve Service to Advertisers



L U D L O W

a new step forward hand-set step-cast composition



The New Standard

JDLOW MODEL W



A many perfectly featured type and yearth crox tracovered presence and tra-hospitorial polycopic state of trail control about "the "trailing poly and blood among thing polycopic special tilling of the section poly flag (see cyte).



A NPs NeW colleg speed a product outlineaus Notices of the Scale 1811 of participal responses in regard college. The seed college from the rerespond college is an early product on the participal production of the college is an early page of the college production.



control page and a real or a proving control page a real or a page and a page and a real and to their page a sector. On control to a sector page.



the contraction which the a company and in the contraction of the cont



if many afficient analogy question or sought amount of the property and department of the property and the construent amount of the property and the proter construent amount of the property and the analogy of the property of the step Model 14.



The second secon

The eye Afrets' "\$" is available in 640 jas and electric heated models ... occupying expressionably the same their sales of before of practically no increase in empty.